

Author Index

Abrous, D.N., see Bal, A. (18) 221

Abu-Shakra, S.R., Cole, A.J. and Drachman, D.B.
Nerve stimulation and denervation induce differential patterns of immediate early gene mRNA expression in skeletal muscle (18) 216

Adrian, D., see Gordon, D.L. (18) 335

Agnati, L.F., see Zoli, M. (18) 163

Antle, C., see Leonard, S. (18) 275

Arango, V., see Kapur, S. (18) 121

Arnauld, E., Arsaut, J. and Demotes-Mainard, J.
Functional heterogeneity of the caudate-putamen as revealed by *c-fos* induction in response to D_1 receptor activation (18) 339

Arsaut, J., see Arnauld, E. (18) 339

Austin, M.C., see Kapur, S. (18) 121

Bal, A., Savasta, M., Chritin, M., Mennicken, F., Abrous, D.N., Le Moal, M., Feuerstein, C. and Herman, J.P.
Transplantation of fetal nigral cells reverses the increase of preproenkephalin mRNA levels in the rat striatum caused by 6-OHDA lesion of the dopaminergic nigrostriatal pathway: a quantitative *in situ* hybridization study (18) 221

Bandele, A., see Gubits, R.M. (18) 228

Beaudet, L., Côté, F., Houle, D. and Julien, J.-P.
Different posttranscriptional controls for the human neurofilament light and heavy genes in transgenic mice (18) 23

Beilharz, E., see Dragunow, M. (18) 347

Beilharz, E.J., Klempt, N.D., Klempt, M., Sirimanne, E., Dragunow, M. and Gluckman, P.D.
Differential expression of insulin-like growth factor binding proteins (IGFBP) 4 and 5 mRNA in the rat brain after transient hypoxic-ischemic injury (18) 209

Bergeron, C., see Sutherland, M.K. (18) 32

Bessho, Y., Nakanishi, S. and Nawa, H.
Glutamate receptor agonists enhance the expression of BDNF mRNA in cultured cerebellar granule cells (18) 201

Bettuzzi, S., see Zoli, M. (18) 163

Bildstein, C.L., see Wong, D.L. (18) 107

Bohus, B., see Van der Zee, E.A. (18) 152

Bowery, N.G., see Knott, C. (18) 353

Brachova, L., Lue, L.-F., Schultz, J., Rashidy, T.E. and Rogers, J.
Association cortex, cerebellum, and serum concentrations of C1q and factor B in Alzheimer's disease (18) 329

Breton, C., Schorpp, M. and Nahon, J.-L.
Isolation and characterization of the human melanin-concentrating hormone gene and a variant gene (18) 297

Buckland, P., Tidmarsh, S., Spurlock, G., Kaiser, F., Yates, M., O'Mahony, G. and McGuffin, P.

Amyloid precursor protein mRNA levels in the mononuclear blood cells of Alzheimer's and Down's patients (18) 316

Burke, R.E., see Gubits, R.M. (18) 228

Burton, P.R., see Qian, A. (18) 100

Casey-McIntosh, G., see Gubits, R.M. (18) 228

Cerruti, C., Walther, D.M., Kuhar, M.J. and Uhl, G.R.
Dopamine transporter mRNA expression is intense in rat midbrain neurons and modest outside midbrain (18) 181

Chritin, M., see Bal, A. (18) 221

Cole, A.J., see Abu-Shakra, S.R. (18) 216

Côté, F., see Beaudet, L. (18) 23

DeCristofaro, J.D., Weisinger, G. and LaGamma, E.F.
Cholinergic regulation of rat preproenkephalin RNA in the adrenal medulla (18) 133

Deguchi, T., see Kengaku, M. (18) 71

Demotes-Mainard, J., see Arnauld, E. (18) 339

Demura, H., see Suda, T. (18) 311

Destrade, C., see Heurteaux, C. (18) 17

Dlouhy, S.R., see Kambouris, M. (18) 321

Drachman, D.B., see Abu-Shakra, S.R. (18) 216

Dragunow, M., Young, D., Hughes, P., MacGibbon, G., Lawlor, P., Singleton, K., Sirimanne, E., Beilharz, E. and Gluckman, P.
Is *c-Jun* involved in nerve cell death following status epilepticus and hypoxic-ischaemic brain injury? (18) 347

Dragunow, M., see Beilharz, E.J. (18) 209

Dunn-Meynell, A., see Levin, B.E. (18) 59

Eaton, A.M., see Gilmore, J.H. (18) 290

Faivre-Sarrailh, C., see Had, L. (18) 77

Ferraguti, F., see Zoli, M. (18) 163

Feuerstein, C., see Bal, A. (18) 221

Fink, G., see Seckl, J.R. (18) 239

Freedman, R., see Leonard, S. (18) 275

French, K.L., see Seckl, J.R. (18) 239

Fujita, S., see Ohno, K. (18) 343

Furuyama, T., Kiyama, H., Sato, K., Park, H.T., Maeno, H., Takagi, H. and Tohyama, M.
Region-specific expression of subunits of ionotropic glutamate receptors (AMPA-type, KA-type and NMDA receptors) in the rat spinal cord with special reference to nociception (18) 141

Ghetti, B., see Kambouris, M. (18) 321

Gilmore, J.H., Lawler, C.P., Eaton, A.M. and Mailman, R.B.
Postmortem stability of dopamine D_1 receptor mRNA and D_1 receptors (18) 290

Giordano, T., see Pan, J.B. (18) 259

Gluckman, P., see Dragunow, M. (18) 347

Gluckman, P.D., see Beilharz, E.J. (18) 209

Goodman, S.R., see Ma, Y. (18) 87

Gordon, D.L., Sadlon, T., Hefford, C. and Adrian, D.
Expression of CD59, a regulator of the membrane attack complex of complement, on human astrocytes (18) 335

Götz, E., Olenik, C., Uhl, A., Seregi, A. and Meyer, D.K.
Meningocortical lesion increases expression of the cholecystokinin gene in rat cerebral cortex: evidence for the involvement of platelet-activating factor (PAF) (18) 285

Gubits, R.M., Burke, R.E., Casey-McIntosh, G., Bandele, A. and Munell, F.
Immediate early gene induction after neonatal hypoxia-ischemia (18) 228

Had, L., Faivre-Sarrailh, C., Legrand, C. and Rabié, A.
The expression of tropomyosin genes in pure cultures of rat neurons, astrocytes and oligodendrocytes is highly cell-type specific and strongly regulated during development (18) 77

Hefford, C., see Gordon, D.L. (18) 335

Herman, J.P., see Bal, A. (18) 221

Heurteaux, C., Messier, C., Destrade, C. and Lazdunski, M.
Memory processing and apamin induce immediate early gene expression in mouse brain (18) 17

Himes, R.H., see Qian, A. (18) 100

Hiscock, J.J., see Willoughby, J.O. (18) 178

Hodes, M.E., see Kambouris, M. (18) 321

Hoffer, B., see Leonard, S. (18) 275

Houle, D., see Beaudet, L. (18) 23

Hughes, P., see Dragunow, M. (18) 347

Hyman, B.T., Wenniger, J.J. and Tanzi, R.E.
Nonisotopic *in situ* hybridization of amyloid beta protein precursor in Alzheimer's disease: expression in neurofibrillary tangle bearing neurons and in the microenvironment surrounding senile plaques (18) 253

Hyman, B.T., see Tanzi, R.E. (18) 246

Iwai, I., see Suda, T. (18) 311

Julien, J.-P., see Beaudet, L. (18) 23

Kaiser, F., see Buckland, P. (18) 316

Kambouris, M., Sangameswaran, L., Dlouhy, S.R., Hodes, M.E., Ghetti, B. and Triarhou, L.C.
Cellular distribution of the RNA transcripts of a newly discovered gene in the brain of normal, weaver, Purkinje cell degeneration and reeler mutant mice as evidenced by *in situ* hybridization histochemistry (18) 321

Kamegai, J., Minami, S., Sugihara, H. and Wakabayashi, I.
Barrel rotation evoked by intracerebroventricular injection of somatostatin and arginine-vasopressin is accompanied by the induction of *c-fos* gene expression in the granular cells of rat cerebellum (18) 115

Kapur, S., Austin, M.C., Underwood, M.D., Arango, V. and Mann, J.J.
Electroconvulsive shock increases tyrosine hydroxylase and neuropeptide Y gene expression in the locus coeruleus (18) 121

Kato, H., see Ohno, K. (18) 343

Kengaku, M., Misawa, H. and Deguchi, T.
Multiple mRNA species of choline acetyltransferase from rat spinal cord (18) 71

Kiyama, H., see Furuyama, T. (18) 141

Kiyama, H., see Maeno, H. (18) 43

Kiyama, H., see Ohno, K. (18) 343

Kiyama, H., see Yao, G.L. (18) 1

Klempt, M., see Beilharz, E.J. (18) 209

Klempt, N.D., see Beilharz, E.J. (18) 209

Knott, C., Maguire, J.J. and Bowery, N.G.
Age-related regional sensitivity to pertussis toxin-mediated reduction in GABA_A receptor binding in rat brain (18) 353

Kook, K.A., see Montpied, P. (18) 267

Kuhar, M.J., see Cerruti, C. (18) 181

LaGamma, E.F., see DeCristofaro, J.D. (18) 133

Landwehrmeyer, B., Mengod, G. and Palacios, J.M.
Dopamine D₃ receptor mRNA and binding sites in human brain (18) 187

Lawler, C.P., see Gilmore, J.H. (18) 290

Lawlor, P., see Dragunow, M. (18) 347

Lazdunski, M., see Heurteaux, C. (18) 17

Legrand, C., see Had, L. (18) 77

Le Moal, M., see Bal, A. (18) 221

Leonard, S., Luthman, D., Logel, J., Luthman, J., Antle, C., Freedman, R. and Hoffer, B.
Acidic and basic fibroblast growth factor mRNAs are increased in striatum following MPTP-induced dopamine neurofiber lesion: assay by quantitative PCR (18) 275

Lesage, A., see Wong, D.L. (18) 107

Levin, B.E. and Dunn-Meynell, A.
Regulation of growth-associated protein 43 (GAP-43) messenger RNA associated with plastic change in the adult rat barrel receptor complex (18) 59

Logel, J., see Leonard, S. (18) 275

Lue, L.-F., see Brachova, L. (18) 329

Luiten, P.G.M., see Van der Zee, E.A. (18) 152

Luthman, D., see Leonard, S. (18) 275

Luthman, J., see Leonard, S. (18) 275

Ma, Y., Zimmer, W.E., Riederer, B.M. and Goodman, S.R.
The complete amino acid sequence for brain β spectrin (β fodrin): relationship to globin sequences (18) 87

MacGibbon, G., see Dragunow, M. (18) 347

Mackenzie, L., see Willoughby, J.O. (18) 178

Maeno, H., Kiyama, H. and Tohyama, M.
Distribution of the substance P receptor (NK-1 receptor) in the central nervous system (18) 43

Maeno, H., see Furuyama, T. (18) 141

Maguire, J.J., see Knott, C. (18) 353

Mailman, R.B., see Gilmore, J.H. (18) 290

Mann, J.J., see Kapur, S. (18) 121

Matsunaga, T., see Ohno, K. (18) 343

McGuffin, P., see Buckland, P. (18) 316

McLachlan, D.R., see Sutherland, M.K. (18) 32

Meaney, M.J., see Plotsky, P.M. (18) 195

Meaney, M.J., see Seckl, J.R. (18) 239

Mengod, G., see Landwehrmeyer, B. (18) 187

Mennicken, F., see Bal, A. (18) 221

Messier, C., see Heurteaux, C. (18) 17

Meyer, D.K., see Götz, E. (18) 285

Minami, S., see Kamegai, J. (18) 115

Misawa, H., see Kengaku, M. (18) 71

Monteggia, L.M., see Pan, J.B. (18) 259

Montpied, P., Weizman, A., Weizman, R., Kook, K.A., Morrow, A.L. and Paul, S.M.
Repeated swim-stress reduces GABA_A receptor α subunit mRNAs in the mouse hippocampus (18) 267

Morrow, A.L., see Montpied, P. (18) 267

Munell, F., see Gubits, R.M. (18) 228

Nahon, J.-L., see Breton, C. (18) 297

Nair, N.P.V., see Seckl, J.R. (18) 239

Nakanishi, S., see Bessho, Y. (18) 201

Nakano, Y., see Suda, T. (18) 311

Nawa, H., see Bessho, Y. (18) 201

O'Donnell, D., see Seckl, J.R. (18) 239

Ohno, K., Takeda, N., Kiyama, H., Kato, H., Fujita, S., Matsunaga, T. and Tohyama, M.
Synaptic contact between vestibular afferent nerve and cholinergic efferent terminal: its putative mediation by nicotinic receptors (18) 343

Ohyagi, Y. and Tabira, T.
Effect of growth factors and cytokines on expression of amyloid β protein precursor mRNAs in cultured neural cells (18) 127

Olenik, C., see Götz, E. (18) 285

O'Mahony, G., see Buckland, P. (18) 316

Palacios, J.M., see Landwehrmeyer, B. (18) 187

Pan, J.B., Monteggia, L.M. and Giordano, T.
Altered levels and splicing of the amyloid precursor protein in the adult rat hippocampus after treatment with DMSO or retinoic acid (18) 259

Park, H.T., see Furuyama, T. (18) 141

Parmentier, M., see Sutherland, M.K. (18) 32

Paul, S.M., see Montpied, P. (18) 267

Plotsky, P.M. and Meaney, M.J.
Early, postnatal experience alters hypothalamic corticotropin-releasing factor (CRF) mRNA, median eminence CRF content and stress-induced release in adult rats (18) 195

Qian, A., Burton, P.R. and Himes, R.H.
A comparison of microtubule assembly in brain extracts from young and old rats (18) 100

Rabié, A., see Had, L. (18) 77

Rashidy, T.E., see Brachova, L. (18) 329

Riederer, B.M., see Ma, Y. (18) 87

Rogers, J., see Brachova, L. (18) 329

Sadlon, T., see Gordon, D.L. (18) 335

Sagar, S., see Willoughby, J.O. (18) 178

Sangameswaran, L., see Kambouris, M. (18) 321

Sato, K., see Furuyama, T. (18) 141

Sato, Y., see Suda, T. (18) 311

Savasta, M., see Bal, A. (18) 221

Schorpp, M., see Breton, C. (18) 297

Schultz, J., see Brachova, L. (18) 329

Seckl, J.R., French, K.L., O'Donnell, D., Meaney, M.J., Nair, N.P.V., Yates, C.M. and Fink, G.
Glucocorticoid receptor gene expression is unaltered in hippocampal neurons in Alzheimer's disease (18) 239

Seregi, A., see Götz, E. (18) 285

Siddall, B., see Wong, D.L. (18) 107

Singleton, K., see Dragunow, M. (18) 347

Sirimanne, E., see Beilharz, E.J. (18) 209

Sirimanne, E., see Dragunow, M. (18) 347

Somerville, M.J., see Sutherland, M.K. (18) 32

Spurlock, G., see Buckland, P. (18) 316

Strosberg, A.D., see Van der Zee, E.A. (18) 152

Suda, T., Tozawa, F., Iwai, I., Sato, Y., Sumitomo, T., Nakano, Y., Yamada, M. and Demura, H.
Neuropeptide Y increases the corticotropin-releasing factor messenger ribonucleic acid level in the rat hypothalamus (18) 311

Sugihara, H., see Kamegai, J. (18) 115

Sumitomo, T., see Suda, T. (18) 311

Sutherland, M.K., Wong, L., Somerville, M.J., Yoong, L.K.K., Bergeron, C., Parmentier, M. and McLachlan, D.R.
Reduction of calbindin-28k mRNA levels in Alzheimer as compared to Huntington hippocampus (18) 32

Tabira, T., see Ohyagi, Y. (18) 127

Takagi, H., see Furuyama, T. (18) 141

Takeda, N., see Ohno, K. (18) 343

Tanzi, R.E., Wenniger, J.J. and Hyman, B.T.
Cellular specificity and regional distribution of amyloid β protein precursor alternative transcripts are unaltered in Alzheimer hippocampal formation (18) 246

Tanzi, R.E., see Hyman, B.T. (18) 253

Tidmarsh, S., see Buckland, P. (18) 316

Tohyama, M., see Furuyama, T. (18) 141

Tohyama, M., see Maeno, H. (18) 43

Tohyama, M., see Ohno, K. (18) 343
Tohyama, M., see Yao, G.L. (18) 1
Tozawa, F., see Suda, T. (18) 311
Triarhou, L.C., see Kambouris, M. (18) 321

Uhl, A., see Götz, E. (18) 285
Uhl, G.R., see Cerruti, C. (18) 181
Underwood, M.D., see Kapur, S. (18) 121

Van der Zee, E.A., Strosberg, A.D., Bohus, B. and Luiten, P.G.M.
Colocalization of muscarinic acetylcholine receptors and protein kinase C γ in rat parietal cortex (18) 152

Wakabayashi, I., see Kamegai, J. (18) 115
Walther, D.M., see Cerruti, C. (18) 181
Weisinger, G., see DeCristofaro, J.D. (18) 133

Weizman, A., see Montpied, P. (18) 267
Weizman, R., see Montpied, P. (18) 267
Wenniger, J.J., see Hyman, B.T. (18) 253
Wenniger, J.J., see Tanzi, R.E. (18) 246
Willoughby, J.O., Mackenzie, L., Hiscock, J.J. and Sagar, S.
Non convulsive spike-wave discharges do not induce Fos in cerebro-cortical neurons (18) 178

Wong, D.L., Bildstein, C.L., Siddall, B., Lesage, A. and Yoo, Y.S.
Neural regulation of phenylethanolamine N-methyltransferase in vivo: transcriptional and translational changes (18) 107

Wong, L., see Sutherland, M.K. (18) 32

Yamada, M., see Suda, T. (18) 311
Yao, G.L., Kiyama, H. and Tohyama, M.
Distribution of GAP-43 (B50/F1) mRNA in the adult rat brain by in situ hybridization using an alkaline phosphatase labeled probe (18) 1

Yates, C.M., see Seckl, J.R. (18) 239
Yates, M., see Buckland, P. (18) 316
Yoo, Y.S., see Wong, D.L. (18) 107
Yoong, L.K.K., see Sutherland, M.K. (18) 32
Young, D., see Dragunow, M. (18) 347

Zimmer, W.E., see Ma, Y. (18) 87
Zini, I., see Zoli, M. (18) 163
Zoli, M., Ferraguti, F., Zini, I., Bettuzzi, S. and Agnati, L.F.
Increases in sulphated glycoprotein-2 mRNA levels in the rat brain after transient forebrain ischemia or partial mesodiencephalic hemitranssection (18) 163

